


www.lalizas.com

SOLAS/MED IMMERSION SUITS



Neptune INSULATED IMMERSION SUITS by **LALIZAS** Original LALIZAS SOLAS Retro-Reflective Tape ® Neoprene code: 70180 Material **Buddy Line** with special pocket case Neoprene Gloves or Rubber Gloves Extra Safe Zipper Shields the suit & prevents water penetration LALIZAS & Simply life saving Copyright © 2021 LALIZAS SA Visit our website www.lalizas.com

Neptune INSULATED IMMERSION SUITS by **LALIZAS**

Immersion Suits Insulated "Neptune"

SPECIFICATIONS

SI EGII IGATIONS					
CODE	72745	70454	70455		
SIZE	Small	Universal Size	Xlarge		
APPROVAL	SOLAS 📀	SOLAS 🧿	SOLAS 🧿		
HEIGHT RANGE (cm)	140-160	160-190	190-210		
WEIGHT RANGE (kg)	40-80	55-95	85-130		

Immersion Suits Insulated "Neptune" with rubber gloves

SPECIFICATIONS

SI EUI IUATIONS				
CODE	72746	70457	72747	
SIZE	Small	Universal Size	Xlarge	
APPROVAL	SOLAS 🗿	SOLAS 🗿	SOLAS 📀	
HEIGHT RANGE (cm)	140-160	160-190	190-210	
WEIGHT RANGE (kg)	40-80	55-95	85-130	

Rubber Gloves





Simply life saving

Copyright © 2021 LALIZAS SA

Visit our website www.lalizas.com

Neptune INSULATED IMMERSION SUITS

by **LALIZAS**



■ Can be unpacked, donned and secured in less than 2 min

■ Fitted with 400 cm² of LALIZAS SOLAS retro-reflective tape

■ Permanent Hands cover with neopren gloves

■ Covers whole body, apart from face

■ Highly visible red color

■ Ergonomically tested, per MSC/circ980

■ Thermally Insulated: has passed all MSC/Circ980 tests

■ Diesel-Oil Resistant: has passed all MSc/Circ 980 tests

■ Flame Resistant: has passed all MSC/Circ980 tests

 Has been submitted successfully to water ingress, jump and leak tests, per MSC/circ 980

Stowage Temperature:-30° C to +56° C (Temperature Cycling
Tests per MSC/Circ 980)

Can be combined with Lifejacket Lights range



- *The product is SOLAS / MED certified under the requirements of Marine Equipment Directive 2014/90/EU and had been tested and comply with the following Regulations and Testing Standards:
- SOLAS 74 as amended, Reg. III/4, III/7, III/22, III/32, III/34 and X/3
- LSA Code and 2000 HSC Code 8
- IMO MSC/Circ.1046

